

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) Security paper with a general fiber density (F_0) for manufacturing a document of value or security document, comprising a bar code ~~(3)~~ including information-conveying bars ~~(5)~~ separated from each other by separating fields ~~(6)~~, characterized in that the separating fields ~~(6)~~ are incorporated as a watermark in the security paper, so that the a fiber density (F) of the security paper in the an area of these separating fields ~~(6)~~ deviates from the a general fiber density ~~(F_0)~~ of the security paper.
2. (Currently Amended) Security paper according to claim 1, wherein the fiber density (F) of the security paper in the areas of the information-conveying bars ~~(5)~~ deviates in a different positive or negative direction from the general fiber density ~~(F_0)~~ as compared to the areas of the separating fields ~~(6)~~.
3. (Currently Amended) Security paper according to claim 2, wherein the fiber density (F) of the security paper in the areas of the information-conveying bars ~~(5)~~ is higher and in the areas of the separating fields ~~(6)~~ lower than the general fiber density ~~(F_0)~~.
4. (Currently Amended) Security paper according to claim 1, wherein the fiber density (F) of the security paper in the areas of the information-conveying bars ~~(5)~~ corresponds to the general fiber density ~~(F_0)~~.
5. (Currently Amended) Security paper according to claim 1, wherein the

separating fields (6) are more narrow than the information-conveying bars (5).

6. (Currently Amended) Security paper according to claim 1, wherein the security paper when viewed in transmitted light at least in one of the separating fields (6) appears lighter than in an area of the security paper with the general fiber density (F_0), and at least in one of the other separating fields (6) appears darker than in an area of the security paper with the general fiber density (F_0).

7. (Currently Amended) Security paper according to claim 1, wherein an information-conveying bar (5) located at the a boundary of the bar code (3) has a characteristic property as to indicate, which information content („0“, „1“) is assigned to each of the various bars (5) of different width of the bar code (3).

8. (Previously Presented) Security paper according to claim 7, wherein the characteristic property is at least one of width and fiber density of the bar located at the boundary.

9. (Currently Amended) Security paper according to claim 1, wherein the bar code (3) is a two-dimensional bar code.

10. (Currently Amended) Security document or document of value (1) comprising a security paper according to claim 1.

11. (Previously Presented) Security document or document of value according to claim 10, selected from the group of documents: bank note, check, share, identity card, ticket for public transport, admission ticket.

12. (Currently Amended) Method for manufacturing a security paper with a general fiber density (F_0) for a security document or document of value (1), with a bar code (3) including information-conveying bars (5) separated from each other by

separating fields (6), wherein the security paper in the areas of the separating fields (6) is produced as a watermark with a fiber density (F_{+} , F_{-}) deviating from the a general fiber density (F_{θ}) of the security paper.

13. (Currently Amended) Method according to claim 12 using a papermaking screen (8), which is formed in a special way in the areas of the separating fields (6), so that in this areas the deposit of fibers for producing a watermark is influenced positively or negatively in the security paper to be manufactured.

14. (Currently Amended) Method according to claim 13, wherein the papermaking screen (8) in the areas of the information-conveying bars (5) is formed in such a way that in these areas the deposit of fibers is influenced neither positively nor negatively.

15. (Currently Amended) Method according to claim 13, wherein the papermaking screen (8) in the areas of the information-conveying bars (5) is embossed in such a way that the deposit of fibers in these areas is influenced positively.

16. (Currently Amended) Method according to claim 12, wherein the papermaking screen (8) at least in the area (9) of one of the separating fields (6) is embossed in such a way that the deposit of fibers is influenced positively.

17. (Currently Amended) Method according to claim 1, wherein the papermaking screen (8) at least in the area of one of the separating fields (6) is equipped with an electrotpe (7), so that the deposit of fibers is influenced negatively.

18. (Currently Amended) Papermaking screen (8) for manufacturing a security paper with a bar code (3) which includes information-conveying bars (5) separated from each other by separating fields (6), wherein the papermaking screen

~~(8)~~ has areas for producing the separating fields ~~(6)~~, in which the papermaking screen is especially formed so as to positively or negatively influence the deposit of fibers in these areas for producing a watermark in a paper to be manufactured with the papermaking screen.

19. (Currently Amended) Papermaking screen according to claim 18, wherein the papermaking screen in its areas producing the information-conveying bars ~~(5)~~ is formed in such a way, that in these areas the deposit of fibers is not especially influenced and a watermark is not produced in a paper to be manufactured with the papermaking screen.

20. (Currently Amended) Papermaking screen according to claim 18, wherein the papermaking screen in its areas producing the information-conveying bars ~~(5)~~ is embossed, so as to positively influence the deposit of fibers in these areas for producing a watermark in a paper to be manufactured with the papermaking screen.

21. (Currently Amended) Papermaking screen according to claim 18, wherein the papermaking screen is embossed ~~(9)~~ in at least one of its areas producing the separating fields ~~(6)~~, so as to positively influence the deposit of fibers for producing a watermark in a paper to be manufactured with the papermaking screen.

22. (Currently Amended) Papermaking screen according to claim 18, wherein the papermaking screen at least in one of its areas producing the separating fields ~~(6)~~ is equipped with an electrotpe ~~(7)~~, so as to negatively influence the deposit of fibers for producing a watermark in a paper to be manufactured with the papermaking screen.

23. (Currently Amended) Papermaking screen according to claim 18, wherein the areas of the papermaking screen for producing the separating fields ~~(6)~~ are formed

more narrow than those areas of the papermaking screen for producing the information-conveying bars~~(5)~~.

24. (Previously Presented) Security paper according to claim 1, characterized in that it has an additional storage medium.

25. (Previously Presented) Security document or document of value according to claim 10, characterized in that the document has an additional storage medium.

26. (Previously Presented) The security paper of claim 1 wherein said document of value or security document is a bank note, check, share, identity card, ticket for public transport or admission ticket.

27. (Previously Presented) The method of claim 12 wherein said security document or document value is a bank note, check, share, identity card, ticket for public transport or admission ticket.

28. (Previously Presented) The security paper of claim 24 wherein said additional storage medium is an area for magnetic storage of information or a microchip.

29. (Previously Presented) The security document or document of value of claim 25 wherein said additional storage medium is an area for magnetic storage of information or a microchip.